


# How to load the AgileEA Plug-in and Configuration

Version: 1.0

This guidance document assumes the use of EPF-Composer version:



To work with this particular **AgileEA plug-in** currently is very simple. It has no dependencies on other base plug-ins at all currently. This will probably change in the future as it matures.


## ***Steps to import the Plug-in***

The steps are as follows:

1. Download the Plug-in from the website
  - a. Save the file **AgileEA-plugin-2007.n.00n.zip** to any local directory.
2. Unzip all the files and directories into any chosen directory.
  - a. It will create a directory with a name something like **\FullAgileEAPluginAndConfig-2007.0.005** in your directory.
3. Open your EPF-Composer.
  - a. Select a suitable workspace to work in.
4. Empty out your EPF-Composer completely
  - a. Delete all in the Library pane (which will clear the Configuration pane)
5. Click on **File | Import... |**
  - a. This will prompt you for an import type – pick **Library Configuration**
6. You are now ready to review and alter the existing plug-in.

## **Step 1 – Download the Plug-in from the website**

As shown below.



Create a directory you can easily find and save the .zip file there.

## **Step 2 - Unzip all the files and directories**

Unzip the contents of the zip file (including the contained directory in the zip file) into this new directory.


## **Step 3 – Open EPF-Composer**

Open your EPF-Composer and pick a suitable workspace to work in.

PTO

## Step 4 – Empty out your EPC-Composer


- Delete all in the Library pane (which will clear the Configuration pane)
- Do this by right-clicking on the Plug-in and selecting Delete.
- Also select any sub-items under configuration and right-click and delete (only if you are not modifying your own Configuration)
- [Not sure yet how this will affect what you are doing in your space... need to experiment further. Assume you need to only load the latest plug-in and not the whole Configuration in further releases? Probably not in the early days – you will need to take whatever gets sent until it gets more stable.]



## Step 5 - Click on File / Import...


Pick type - **Library Configuration** and click the **next** button

[I guess you'd select the Method-plug-in only if you had your own configuration setup for the AgileEA already...]




**Unselect the Use Default directory tick box** (unless you have used your default directory for the zip file contents.)

**Browse to this new directory** as show below And click the **Next** button:



It comes up with the following and you please the Finish button:



It will ask you to take a backup which you can choose to do if it suits you.

### ***Feedback welcome***

Please let us know if this does not work or is faulty in any way. Many thanks.